3 PART STAINLESS STEEL TABLE LIFT



Credit: Guido Cantini

This motorized stainless steel system allows the automatic raising and lowering of the tabletop, both outdoors and indoors.

Scan here for more information!
www.noval-marine.com



Credit: Guido Cantini




Credit: Antoine Heusse


GENERAL DESCRIPTION

- This 316 stainless steel mirror-polished solution enables you to change from a high table into a bed or a coffee table, for example.
- Outdoor environment compatible.
- Synchronisation possible between two table lifts (to be specified when ordering).
- Possible options:
  - remote control,
  - power supply,
  - switch,
  - control box.

Cylindrical model



Rectangular model



316 STAINLESS STEEL 3 PART CYLINDRICAL MODELS

Reference	Finish	Dimensions								Speed		Load			Power supply		IP Grade
		Retracted height A (mm)	Deployed height B (mm)	Recessing height C (mm)	Stroke (mm)	Rotation option	Lower plate dimensions (mm)	Upper plate dimensions (mm)	Installation orientation	No load speed (mm/s)	Full load speed (mm/s)	Dynamic bending moment (Nm)	Static bending moment (Nm)	Compression load (N)	Voltage (V)	Max current (A)	
NL2638	Mirror-polished	313	637	-	324	NO	380	350	Standard	18	12	250	500	2000	12	10	IPX6
NL2639	Mirror-polished	313	637	-	324	NO	380	350	Standard	18	12	250	500	2000	24	5	IPX6

| 316 STAINLESS STEEL 3 PART RECTANGULAR MODELS

Reference	Finish	Dimensions								Speed		Load			Power supply		IP Grade
		Retracted height A (mm)	Deployed height B (mm)	Recessing height C (mm)	Stroke (mm)	Rotation option	Lower plate dimensions (mm)	Upper plate dimensions (mm)	Installation orientation	No load speed (mm/s)	Full load speed (mm/s)	Dynamic bending moment (Nm)	Static bending moment (Nm)	Compression load (N)	Voltage (V)	Max current (A)	
NL2079	Mirror-polished	313	637	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL2079-BL	Black (RAL9005 SATIN)	313	637	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL2080	Mirror-polished	313	637	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2080-BL	Black (RAL9005 SATIN)	313	637	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2476	Mirror-polished	313	637	-	324	NO	Ø 400	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL2477	Mirror-polished	313	637	-	324	NO	Ø 400	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2636	Mirror-polished	313	637	-	324	NO	400 x 400	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL2637	Mirror-polished	313	637	-	324	NO	400 x 400	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2146	Mirror-polished	340	664	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL2147	Mirror-polished	340	664	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2147-BR	Brush	340	664	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2214	Mirror-polished	350	674	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL2215	Mirror-polished	350	674	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2215-BL	Black (RAL9005 SATIN)	350	674	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2148	Mirror-polished	366	690	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL2149	Mirror-polished	366	690	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2149-BR	Brush	366	690	-	324	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6
NL2155	Mirror-polished	354	678	-	324	YES	355 x 280	320 x 320	Standard	18	12	250	500	2000	12	10	IPX6
NL2156	Mirror-polished	354	678	-	324	YES	355 x 280	320 x 320	Standard	18	12	250	500	2000	24	5	IPX6
NL4603	Mirror-polished	660	1060	-	400	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	12	10	IPX6
NL4604	Mirror-polished	660	1060	-	400	NO	355 x 280	355 x 280	Standard	18	12	250	500	2000	24	5	IPX6

INSTALLATION EXAMPLES



Excess 15

Credit: Antoine Heusse



Amel 60

Credit: Antoine Heusse



Beneteau Monte Carlo 6

Credit: Antoine Heusse